### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings of claims in the application:

# **Listing of Claims:**

÷

The Method of Multiple Concurrent Simultaneous Tasks Support Within a Single or Multiple Web-Consoles Window of CCDSVM

- 1. (Currently Amended) A method for supporting multiple simultaneous concurrent tasks within a single web-console in a central controlled distributed scalable virtual machine ("CCDSMV") environment (Fig. 2) comprises the steps of, said method comprising
- (a) provide multiple <u>users</u> [[User]] login concurrently each from <u>a</u> web-console of <u>a</u> console host into <u>said CCDSMV</u> environment[[.]];
- (b) provide <u>said users each [[User]]</u> from <u>said web-console</u> of <u>said console</u> host <u>obtains obtaining</u> all configuration and resources information of the systems within <u>said</u> CCDSVM environment;[[.]]
- (c) provide <u>said users each [[User]]</u> from <u>said web-console</u> of <u>said console</u> host <u>selects selecting a target system</u>, which is either a control station or system unit, and <u>initiate initiating simultaneous concurrent</u> tasks based on <u>said all information of said CCDSVM</u> environment;[[.]]
- (d) Console console supporting software on a control management station gets and stores getting and storing tasks from each users on console-host into a user space task list on control station, and also obtains the obtaining associate locks for each tasks[[.]]; and
- (e) Console console supporting software arranges tasks to be run on the target systems until the tasks got finished distributing multiple tasks to multiple systems until all of said tasks are performed.

# - User login to CCDSVM environment

2. (Currently Amended) The method of claim 1, wherein step (a) further includes:

[[The]] <u>said</u> web-console of <u>said</u> console host [[gets]] <u>getting a login</u> web-page from <u>said</u> console supporting software of <u>said</u> control management station[[.]];

[[The]] <u>said</u> user <u>provides</u> <u>providing an account name and <u>a password</u> information to <u>said login web-page</u> on <u>said web-console</u> of <u>said console host[[.]];</u></u>

[[The]] <u>said</u> web-console of <u>said</u> console host <u>sends</u> <u>sending</u> the authentication information to <u>said</u> console supporting software of <u>said</u> control management station.

- 3. (Currently Amended) The method of claim 1, wherein step (a) further includes [[The]] said console supporting software of said control management station performing performs [[the]] an authentication validation checking, wherein said authentication validation checking further includes determining whether a to determine if this user is allowed to login.
- 4. (Currently Amended) The method of claim 1, wherein, step (a) further includes [[The]] multiple users logging in said console host control station through multiple could login from web-consoles of multiple different console hosts concurrently.

### - Cet necessary CCDSVM information for task initiation

5. (Currently Amended) The method of claim 1, wherein, step (b) further includes:

[[The]] <u>said</u> console supporting software of <u>said</u> control management station <u>receiving gets-necessary</u> information from service software modules of all system units via communication link between them; <u>and</u>

[[The]] <u>said</u> console supporting software of <u>said</u> control management station <u>sends</u> <u>sending</u> information of all <u>said</u> system units, <u>said</u> control management station and others to [[the]] <u>said</u> web-console of <u>said</u> console host.

6. (Currently Amended) The method of claim 1, wherein, step (b) further includes[[: The ]] obtaining information relating to obtained by each user could be the IP address of each unit[[s]] within said CCDSVM, and initiating could be a devices on a system such disk or

network card or could be a file and all others, which are necessary to allow any users to initiate tasks in said CCDSVM environment in response to said information.

#### - Initiate Tasks

7. (Currently Amended) The method of claim 1, wherein, step (c) and claim 5 further includes:

initiating Based on information obtained from said console support software of said control management station, multiple simultaneous concurrent tasks for a target system or for several different target systems could be initiated from a single web-console of a console host in response to information obtained by said console support software; and [[.]]

The target system could be any of system units or control management station.

sending [[The]] task information is send-from said web-console of console host to said console support software modules of said control management station.

8. (Currently Amended) The method of claims 1, wherein, step (c) and claim 5 further includes:

[[Based]] <u>based</u> on information obtained from <u>said</u> console support software of <u>said</u> control management station, multiple users on multiple console hosts, each of them from a single web-console of multiple console hosts, <u>initiating ean initiate</u> multiple simultaneous concurrent tasks for a target system or for several target systems[[.]];

[[The]] the target system [[could]] being any of system units or a control management station[[.]]; and

[[The]] task information is send from <u>said</u> web-console of console host to <u>said</u> console support software modules of <u>said</u> control management station.

User space task list and the associated locks used for multiple simultaneous
 concurrent tasks support in CCDSVM:

9. (Currently Amended) The method of claim 1, wherein, step (d) further includes:

[[The]]said console supporting software of said control management station getting [[gets]] task information from said web-console of said console hosts[[.]];

[[The]] said console supporting software of control management station stores storing information of each task[[s one]] at a giving time into a valid slot in its of a user space task list[[.]];

[[The]] said console supporting software of control management station aequires acquiring associated locks to protect [[the]] resources used by each task[[s]] and further to prevent each task[[s]] from interfering each other or from blocking each other.

10. (Currently Amended) The method of claim 1, wherein, step (d) further includes:

[[The]] <u>said</u> locks acquired for each task[[s could]] being conventional or non-conventional lock[[. The]]

<u>said</u> conventional lock [[can be]] acquired and released by same thread[[.]]; and [[The]] <u>said</u> non-conventional lock [[can be]] acquired by <u>a first thread and one</u> thread or process and be released by <u>a second thread another thread or process</u>.

# - Run Tasks in CCDSVM environments

- 11. (Currently Amended) The method of claim 1, wherein step (e) further includes[[: B]] based on task information, [[the]] said console support software of said control management station determines determining which target system is selected to perform the task to be executed on.
- 12. (Currently Amended) The method of claim 1, wherein[[,]] step (e) further includes transmitting task information from said: If the target of a task is for a system unit, the console support software of control management system transmits the task information to the service software module of the target systems. Otherwise, the task will carried out on control management station.

::

- 13. (Currently Amended) The method of claim 1, wherein[[,]] step (e) further includes[[: The]] said console support software of said control management station or the service software module of system unit determining whether needs to determine if an additional threads needs to be created is required to carry out the tasks. If there is needs, an additional thread is created to carry out the task. Otherwise, the threads of the console support software modules of control management station, or the threads of service software modules of system unit carries out the task.
- 14. (Currently Amended) The method of claim 1, wherein, step (e) further includes[[: The]] said console supporting software determining whether needs to determine if a task is permitted to run on a specific system identified by said a specific user, who initiated this task. The console supporting software also needs to determine if a task is permitted to run on a specific target system by a user, who initiated this task.
- 15. (Currently Amended) The method of claim 1, wherein, step (d) and step (e) also includes each tasks' said associated locks [[will]] being released one at a time along with each tasks' task's executing up to [[the]] a point that task is done. Therefore each tasks can be executed properly without anytime delay.

16-27. (Cancelled).

::

### **User Credential Checking:**

28. (Currently Amended) A central controlled distributed scalable virtual machine

("CCDSMV") comprising: The claim 1, wherein step (a) together with the claim 14 further evidenced

a central control management station;
system units coupled to said central control management station;
console hosts coupled to said system units;
a network infrastructure coupled to said console hosts; and

- a)—a [[said]] two level security authentication scheme used in <u>said CCDSVM</u> environment[[.b) The]], wherein a first level of security authentication is <u>configured to</u> impose[[d]] on <u>said central control management station[[.c)The]], wherein a second level of security authentication is <u>configured to</u> impose[[d]] on <u>said system units</u>.</u>
- 29. (Currently Amended) The claim of 28, further includes:
- a) The wherein said first level of security authentication includes the login authentication having such as user and password checking and allocating a portion of computing resource to said user the authentication of specific users to perform specific tasks on the control management station. For example to allow a user to own certain size of storage volumes on a target system and allow user to exercise all storage operations on their own storage volumes etc.;
- b) The wherein said second level of authentication includes an allocation a the authentication of specific user to access specific number of said system units to said user, and to perform for performing specific tasks on permitted said system units in said CCDSVM environment[[.]]; and
- e) The wherein said second level of authentication also includes the authentication of specific services of the specific system unit, which provides web services could be provided to specific clients.

30 (Canclled)

::

31-36. (Cancelled).

:::

37. (New) A method for supporting multiple simultaneous concurrent tasks within a single web-console comprises:

providing a group of computer systems having at least one control system, and one zero or more server systems connected together through a network media, wherein said group of computer systems are controlled, operated, and managed by said control system with a set of software modules running on either a control system or on server systems in said group of systems;

providing multiple users login concurrently each from web-browser of client system into said control system;

providing said users from a single web-browser on a client system to obtain information relating to system configuration and resources of control system and system units in said group of systems;

providing said user from a single web-browser of client systems to select said target systems, which is either a said control system or server systems, and to initiate multiple simultaneous concurrent tasks over the said configuration and resources information on selected target systems;

providing said web console supporting software on control management station gets and stores tasks from each users on client systems into an a user space task list, and also obtains the associated locks for each of the tasks; and

executing tasks arranged by said console supporting software on target systems.